

## How to create crash dump of Windows process

• Parallels Remote Application Server

## Information

In some of the cases (Parallels RAS processes or Parallels Client for Windows crash) full memory dump collected right after the crash may be requested for further investigation.

This article describes how to do it using **ProcDump** utility.

- 1. Prepare **ProcDump** tool to collect dump:
  - Download **ProcDump** on the server in question.
  - Create a folder where dumps will be stored (e.g. C:\Dumps)
  - Unzip the archive and put the procdump. exe in to the created directory.
- 2. Check if the process in question is running. If it is not, launch it manually or restart the corresponding system service (depending on the case);
- 3. On the server open **Elevated Command Prompt** and switch to the folder where procdump.exe is located using the **cd** command, e.g. **cd C:\Dumps**
- 4. Execute the following command: **procdump -ma -e -t -w <PROCESS\_NAME.EXE>** where:
  - -ma option to write a full dump file;
  - **-e** − option to write a dump when the process encounters an unhandled exception;
  - **-t** option write a dump when the process terminates;
  - <PROCESS\_NAME . EXE> name of the crashing process, e.g. 2XController.exe
- 5. The dump will be generated in the folder (e.g. **C:\Dumps**) once the process crashes. Compress the folder and upload it on Parallels FTP share using link provided by Parallels Support representative.

© 2024 Parallels International GmbH. All rights reserved. Parallels, the Parallels logo and Parallels Desktop are registered trademarks of Parallels International GmbH. All other product and company names and logos are the trademarks or registered trademarks of their respective owners.