

Working with snapshots in Parallels Desktop for Mac

- Parallels Desktop for Mac Standard Edition
- Parallels Desktop for Mac Pro Edition
- Parallels Desktop for Mac Business Edition

Note: snapshots are not currently supported for macOS virtual machines running on Apple silicon Mac computers.

What is a snapshot?


A snapshot is a saved state of a virtual machine (VM). Snapshots can be created manually or automatically.

After you make the snapshot, you can continue working with the virtual machine and revert to the created snapshot at any time of your work.

Warning: You can create the snapshot at any time. But it is recommended to complete all operations of installing, downloading, or writing to external devices before taking the snapshot. You should also complete or cancel any transactions performed in the virtual machine in external databases.

You may want to take snapshots in the following cases:


- You are going to run some programs that may damage your VM;
- You are going to configure some software running inside a VM that requires a lot of settings;
- You want to mark milestones in the development process.




Working with Snapshots

Take a Snapshot

- 1. Start **Parallels Desktop** and the virtual machine in which you want to create the snapshot.
- 2. On Mac menu bar, click **Actions > Take snapshot**.




3. In the appeared window, specify the name of the snapshot and click **OK**.



Revert to a Snapshot

- 1. Start Parallels Desktop and the virtual machine in which you want to revert to the snapshot.
- 2. On the Mac menu bar, click **Actions** > **Revert to Snapshot**.
- 3. Choose whether you want to take another snapshot to save the current state of the virtual machine, or proceed directly to the previous snapshot without saving.

Note: If you select **Save**, Parallels Desktop will create an additional snapshot with the state you had before reverting to the previous snapshot. By selecting **Don't Save**, you will revert back to the previous snapshot without saving the current state.




Delete a Snapshot

- 1. Start **Parallels Desktop** and right-click the Parallels Desktop icon in the Dock > select **Control Center**.
- 2. In Control Center click the Snapshots icon to open the Snapshot Manager.



- 3. In the Snapshots Manager menu, select the snapshot you want to delete > click **Delete**.
- 4. Finish the removal operation by selecting **Yes** in the appeared confirmation message.



Note: When you delete an intermediate snapshot, the information it contains is merged into the next snapshot.

Limitations of Snapshots

Snapshots are possible when you work with the virtual hard disk, thus it is not possible to take a snapshot when:

- 1. Windows virtual machine uses the Boot Camp partition.
- 2. Virtual machine has physical disk added in its configuration (as a primary (bootable) or non-primary disk).

Also, if your virtual machine has one or more snapshots, you can neither compress nor resize the virtual hard disk.

Automate Snapshots Creation


The **SmartGuard** functionality allows you to automate snapshots' creation.

You can use this option only if you are an advanced user. Alternatively, by doing a manual backup of your virtual machines you can also refresh them once in a while (say when new guest OS updates are applied) much more easily than with a Time Machine solution.

Note: SmartGuard is available only when the <u>Rollback Mode</u> feature is disabled.

To access SmartGuard settings:

- 1. Start **Parallels Desktop** and the virtual machine in which you want to enable SmartGuard feature.
- 2. Open the virtual machine <u>configuration</u> > go to the **Backup** tab > enable **SmartGuard** option.



3. To automate snapshots, click the SmartGuard menu and choose one of the following:

	Optimize for Time Machine	
Take a Snapshot Every:	24 hours 🗘	
Snapshots to Keep:	3 🗘	
	You need to have at least 19.53 GB of free disk space to use this feature.	
You Can Restore:	1 latest daily snapshots	
	1 latest weekly snapshots	
	1 latest monthly snapshots	
	✓ Notify me before snapshot creation	
	Cancel	

• Optimize for Time Machine.

If you use Time Machine, we recommend having SmartGuard enabled along with this option. If you select it, a snapshot will be taken every 24 hours. Time Machine, when backing up your Mac, will not back up the entire virtual machine, but only its latest snapshot. This allows you to reduce the amount of data that Time Machine backs up, to reduce the time Time Machine spends backing up the virtual hard disk(s), and to minimize the risk of data loss or corruption when restoring the virtual machine hard disk(s) from the Time Machine backup.

If you want to know when it is time to make the next snapshot and to be able to reject the snapshot creation, enable the **Notify me before the snapshot creation option**.

Note: If you use Time Machine to back up your Mac, you can configure the virtual machine to make Time Machine back up only the changes made since the latest snapshot but not the whole virtual hard disk. To do it, select **Optimize for Time Machine** and click **OK**.

Set how often snapshots are made

Use the **Take a Snapshot Every** field.

You can customize and set the amount up to 48 hours.

If the time interval is less than 24 hours, SmartGuard will allow you to restore the latest hourly, daily and weekly snapshot. If the time interval is more than 24 hours, you will be able to restore the latest daily, weekly and monthly snapshot.

• Limit how many snapshots are stored

Use the **Snapshots to Keep** field to set the maximum number of snapshots that can be stored on your Mac. The maximum available value is 100 snapshots. As soon as Snapshots Manager reaches the limit for snapshots and needs to make a new one over limit, it deletes the oldest snapshot.

Note: Snapshots affect performance quite a bit unless the snapshot and the virtual disk is on a high-performance solid-state drive. It is worth considering if you need regular backups of ongoing work on the virtual machine, but since you say you don't care about changes to the virtual machine, then snapshots are best avoided altogether.

As an alternative resource on this topic, we also recommend visiting this blog post: <u>How to Use Parallels Desktop Snapshots</u>.

© 2024 Parallels International GmbH. All rights reserved. Parallels, the Parallels logo and Parallels Desktop are registered trademarks of Parallels International GmbH. All other product and company names and logos are the trademarks or registered trademarks of their respective owners.